	Application No.	Applicant(s)	
Notice of Allowability	10/611,592	OSWALD, TOMMY	LEE
	Examiner	Art Unit	· · · · · · · · · · · · · · · · · · ·
	Alina N. Boutah	2143	
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R	(OR REMAINS) CLOSED or other appropriate comm IGHTS. This application is	in this application. If not includence in the includence in the mailed in due	ed course. THIS
1. X This communication is responsive to 4/13/07.			
2. The allowed claim(s) is/are 1-4,8 and 9.			
 3. Acknowledgment is made of a claim for foreign priority una) a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). 	e been received. e been received in Applicat	ion No	tion from the
* Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		le a reply complying with the re	quirements
4. A SUBSTITUTE OATH OR DECLARATION must be subminFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXes reason(s) why the oath	(AMINER'S AMENDMENT or Nor declaration is deficient.	IOTICE OF
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)			
1. Notice of References Cited (PTO-892)	5. Notice of I	nformal Patent Application	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	Paper No	Summary (PTO-413), b./Mail Date	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🗌 Examiner'	s Amendment/Comment	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner' 9. □ Other	s Statement of Reasons for Allo	owance
		SUPERVISORY PATEN TECHNOLOGY CEN	TEXAMINER

Art Unit: 2143

DETAILED ACTION

This action is in response to Applicant's amendment filed April 13, 2007. Claims 5-7 have been cancelled. Claims 1-4 and 8-9 are pending in the present application.

Specification.

A new title that is clearly indicative of the invention has been submitted. The objection is now withdrawn.

Claim Objections

Applicant has amended claims 1, 5 and 8 to fix the typographical errors as required by the Examiner. The objection is now withdrawn.

Double Patenting

Claims 5-7 have been cancelled; therefore the double patenting rejection is now withdrawn.

Allowable Subject Matter

Claims 1-4, 8 and 9 are allowed.

The Examiner had previously rejected claims 1-3, 5 and 7 under 35 U.S.C 103(a) as being unpatentable over Smith in view of Ferlitsch. However, Applicant has provided evidence

Application/Control Number: 10/611,592

Art Unit: 2143

showing that the Ferlitsch reference and the instant application are commonly owned by Sharp Laboratories. Thus, the Ferlitsch reference is not a legitimate reference under 35 U.S.C. 103(a).

In combination with each and every limitation in claim 1, the prior art of record fails to teach an acknowledgment mechanism in the MFP for generating a reply Email, indicating that the readiness specification has been received and entered, and an error message generator in the MFP for generating a reply Email indicating that the readiness specification has not been entered.

Claims 8 and 9 were previously allowed in the Office Action dated January 16, 2007.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alina N. Boutah whose telephone number is 571-272-3908. The examiner can normally be reached on Monday-Friday (9:00 am - 5:00 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David A. Wiley can be reached on 571-272-3923. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/611,592 Page 4

Art Unit: 2143

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

ANB

ANB

DAVID WILEY
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100